Contents of Volume 10

(Abstracted/indexed in: Chemical Abstracts; Current Contents; Physical, Chemical & Earth Sciences; INSPEC; PASCAL/CNRS)

Vol. 10 No. 1

Vol. 10 No. 1	
Mechanisms underlying the desorption of long-chain lipolytic products by cyclodextrins: application to lipase kinetics in monolayer M. Ivanova (Marseille, France/Sofia, Bulgaria), R. Verger (Marseille, France) and I. Panaiotov (Sofia, Bulgaria)	***
Evaluation of the calcium oxalate monohydrate Hamaker constant based on static dielectric constant determination and electronic polarization C.F. Habeger (Gainesville, FL, USA), C.E. Condon (University Park, PA, USA), S.R. Khan (Gainesville, FL, USA) and J.H. Adair (Gainesville, FL, USA/University Park, PA, USA)	1
The surface characteristics of the sintered body of hydroxyapatite-zirconia composite particles N. Kawashima, K. Soetanto (Yokohama, Japan), Ki. Watanabe, K. Ono (Tokyo, Japan) and T. Matsuno (Kanagawa, Japan)	2
Measurement of protein adsorption to metals using radioiodination methods: a caveat H. Sheardown, R.M. Cornelius and J.L. Brash (Ottawa, Ontario, Canada) Archaebacterial lipids: high surface activity of polyisoprenoid surfactants in water	
K. Yamauchi, Y. Onoue, T. Tsujimoto and M. Kinoshita (Osaka, Japan) Preparation of dimerized polypeptide-carrying microspheres and purification of specific proteins bound to these microspheres	
M. Hatakeyama, Y. Ogura, J. Sawada, K. Fujimoto, H. Handa and H. Kawaguchi (Yokohama, Japan)	
Vol. 10 No. 2	
Ellipsometery and radio-labelling studies on the adsorption of human serum albumin (HSA) and anti-HSA to hydrophobic silicon P. Tengvall, A. Askendal (Linköping, Sweden), M. Wahlgren (Lund, Sweden) and I. Lundström (Linköping, Sweden)	6
Dimple evolution in foam films of liposome (DPPC) suspensions	
D.J. Mitev, R. Tsekov and C.S. Vassilieff (Sofia, Bulgaria)	
Kinetics of nucleation and crystal growth of hydroxyapatite and fluorapatite on titanium oxide surfaces W. Wu and G.H. Nancollas (Buffalo, NY, USA)	
The influence of proteins on calcium phosphate deposition over titanium implants studied by dynamic contact angle analysis and XPS	
A.P.V.A. do Serro, A.C. Fernandes, B. de Jesus and V. Saramago (Lisbon, Portugal)	
A. Bonincontro, A.D. Francesco, M. Matzeu (Roma, Italy), G. Onori and A. Santucci (Perugia, Italy)ncrease in molecular order of phospholipid membranes due to osmotic stress by polyethylene glycol K. Mishima (Yamanashi, Japan), K. Satoh and K. Suzuki (Tokyo, Japan)	103
B. WUNDERED LANDAUG TADAUG B. MAINE AND AND B. MIZUKI LIUKVO. JADAUG	

¥2_	8	10	No.	2
VO	,	,,,,	NO	- 4
		10	ATU.	2

Stress-relaxation behaviour of spread films and coalescence stability of o/w emulsions formed by succinylated legumin from faba beans (Vicia faba L.) JP. Krause (Bergholz-Rehbrücke, Germany), R. Wüstneck (Potsdam, Germany), A. Seifert and K.D. Schwenke (Bergholz-Rehbrücke, Germany), R. Wüstneck (Potsdam, Germany), A. Seifert and K.D. Schwenke (Bergholz-Rehbrücke, Germany). Hydrolysis of O-nitrophenyl-B-p-galactoside by an enzyme immobilized on perfluorocarbon in a tapered column reactor BL. Yang (Xi'An, People's Republic of China), N. Shinoda and S. Goto (Nagoya, Japan). 127 Enzymatic esterifications and transesterifications in AOT-based gels with different composition S. Karlsson, S. Backlund, F. Eriksson and G. Hedström (Turku, Finland). Spectroscopic probes of the interactions of the dye Stains-all with deoxycholate and cholate A. Goswami and M.K. Pal (Kalyani, India). DNA-carrying lates particles for DNA diagnosis. I. Separation of normal and point mutant DNA's according to the difference in hybridization efficiency M. Hatakeyama, S. Iwato, K. Fujimoto, H. Handa and H. Kawaguchi (Yokohama, Japan). 161 DNA-carrying latex particles for DNA diagnosis 2. Distinction of normal and point mutant DNA's using S1 nuclease M. Hatakeyama, K. Nakamura, S. Iwato, H. Handa, K. Fujimoto and H. Kawaguchi (Yokohama, Japan). 170 Vol. 10 No. 4 Adhesion of yeasts and bacteria to fluoro-alkylsiloxane layers chemisorbed on silicone rubber E.P.J.M. Everzert, H.C. van der Mei and H.J. Busscher (Groningen, The Netherlands). 179 Impact of structural changes and aggregation on adsorption kinetics of ovalbumin at the water/air interface N. Hagolle, B. Launay and P. Relkin (Massy, France) In-situ measurement of DNA immobilization and hybridization using a 27 MHz quartz crystal microbalance F. Caruso, D.N. Furlong (Victoria, Australia), K. Niikura and Y. Okahata (Yokohama, Japan). 199 The stability of heparin-coated liposomes in plasma and their reflect on its ocagulation A. Sahli (Paris, France), M. Cansell (
K. D. Schwenke (Bergholz-Rebbrücke, Germany). Hydrolysis of O-nitrophenyl-β-o-galactoside by an enzyme immobilized on perfluorocarbon in a tapered column reactor BL. Yang (Xi'An, People's Republic of China), N. Shinoda and S. Goto (Nagoya, Japan). 127 BL. Yang (Xi'An, People's Republic of China), N. Shinoda and S. Goto (Nagoya, Japan). 128 Enzymatic esterifications and transesterifications in AOT-based gels with different composition. S. Karlsson, S. Backlund, F. Eriksson and G. Hedström (Turku, Finland). S. Karlsson, S. Backlund, F. Eriksson and G. Hedström (Turku, Finland). S. Karlsson, S. Backlund, F. Eriksson and G. Hedström (Turku, Finland). 137 Spectroscopic probes of the interactions of the dye Stains-all with deoxycholate and cholate A. Goswami and M.K. Pal (Kalyani, India). 148 DNA-carrying latex particles for DNA diagnosis. 1. Separation of normal and point mutant DNA's according to the difference in hybridization efficiency. M. Hatakeyama, S. Iwato, K. Fujimoto, H. Handa and H. Kawaguchi (Yokohama, Japan). 161 DNA-carrying latex particles for DNA diagnosis 2. Distinction of normal and point mutant DNA's using S1 nuclease M. Hatakeyama, K. Nakamura, S. Iwato, H. Handa, K. Fujimoto and H. Kawaguchi (Yokohama, Japan). 170 170 170 170 170 170 170 17		
Hydrolysis of <i>O</i> -nitrophenyl-β-D-galactoside by an enzyme immobilized on perfluorocarbon in a tapered column reactor BL. Yang (Xi'An, People's Republic of China), N. Shinoda and S. Goto (Nagoya, Japan)		
Re-L. Yang (Xi'An, People's Republic of China), N. Shinoda and S. Goto (Nagoya, Japan) 127 Enzymatic esterifications and transesterifications in AOT-based gels with different composition S. Karlsson, S. Backlund, F. Eriksson and G. Hedström (Turk, Finland) 137 Spectroscopic probes of the interactions of the dye Stains-all with deoxycholate and cholate A. Goswami and M.K. Pal (Kalyani, India) 148 DNA-carrying latex particles for DNA diagnosis 1. Separation of normal and point mutant DNA's according to the difference in hybridization efficiency M. Hatakeyama, S. Iwato, K. Pujimoto, H. Handa and H. Kawaguchi (Yokohama, Japan) 161 DNA-carrying latex particles for DNA diagnosis 2. Distinction of normal and point mutant DNA's using S1 nuclease M. Hatakeyama, K. Nakamura, S. Iwato, H. Handa, K. Fujimoto and H. Kawaguchi (Yokohama, Japan) 171 Vol. 10 No. 4 Adhesion of yeasts and bacteria to fluoro-alkylsiloxane layers chemisorbed on silicone rubber E.P.J.M. Everaert, H.C. van der Mei and H.J. Bussecher (Groningen, The Netherlands) 179 Impact of structural changes and aggregation on adsorption kinetics of ovalbumin at the water/air interface N. Hagolle, B. Launay and P. Relkin (Massy, France) 191 In-situ measurement of DNA immobilization and hybridization using a 27 MHz quartz crystal microbalance F. Caruso, D.N. Furlong (Victoria, Australia), K. Niikura and Y. Okahata (Yokohama, Japan) 199 The stability of heparin-coated liposomes in plasma and their effect on its coagulation A. Sahli (Paris, France), M. Cansell (Paris, France) Pordeaux, France), J. Tapon-Bretaudière, D. Letourneur, J. Jozefonvicz and A.M. Fischer (Paris, France) Pordeaux, France), J. Tapon-Bretaudière, D. Letourneur, J. Jozefonvicz and A.M. Fischer (Paris, France) Pordeaux, France), J. Japon-Bretaudière, D. Letourneur, J. Jozefonvicz and A.M. Fischer (Paris, France) Pordeaux, France) properties M. Ostoka, T. Ofusa and Y. Matsuda (Kobe, Japan) 205 Dissolution improvement of water-insoluble glybuzole by co-grinding and co-melting with surfactants and t		. 119
Enzymatic esterifications and transesterifications in AOT-based gels with different composition S. Karlsson, S. Backlund, F. Eriksson and G. Hedström (Turku, Finland) Spectroscopic probes of the interactions of the dye Stains-all with deoxycholate and cholate A. Goswami and M.K. Pal (Kalyani, India) 149 DNA-carrying latex particles for DNA diagnosis 1. Separation of normal and point mutant DNA's according to the difference in hybridization efficiency M. Hatakeyama, S. Iwato, K. Fujimoto, H. Handa and H. Kawaguchi (Yokohama, Japan) 161 DNA-carrying latex particles for DNA diagnosis 2. Distinction of normal and point mutant DNA's using S1 nuclease M. Hatakeyama, K. Nakamura, S. Iwato, H. Handa, K. Fujimoto and H. Kawaguchi (Yokohama, Japan) 171 Vol. 10 No. 4 Adhesion of yeasts and bacteria to fluoro-alkylsiloxane layers chemisorbed on silicone rubber E.P.J.M. Everaert, H.C. van der Mei and H.J. Busscher (Groningen, The Netherlands) 179 Impact of structural changes and aggregation on adsorption kinetics of ovalbumin at the water/air interface N. Hagolle, B. Launay and P. Relkin (Massy, France) 181 181 181 183 184 185 Impact of structural changes and aggregation on adsorption kinetics of ovalbumin at the water/air interface N. Hagolle, B. Launay and P. Relkin (Massy, France) 185 In-situ measurement of DNA immobilization and hybridization using a 27 MHz quartz crystal microbalance F. Caruso, D.N. Furlong (Victoria, Australia), K. Niikura and Y. Okahata (Yokohama, Japan) 189 189 189 189 189 189 189 18	reactor	
S. Karlsson, S. Backlund, F. Eriksson and G. Hedström (Turku, Finland)		. 127
Spectroscopic probes of the interactions of the dye Stains-all with deoxycholate and cholate A. Goswami and M.K. Pal (Kalyani, India)		
A. Goswami and M.K. Pal (Kalyani, India)		. 137
DNA-carrying latex particles for DNA diagnosis. 1. Separation of normal and point mutant DNA's according to the difference in hybridization efficiency M. Hatakeyama, S. Iwato, K. Fujimoto, H. Handa and H. Kawaguchi (Yokohama, Japan)		1.40
the difference in hybridization efficiency M. Hatakeyama, S. Iwato, K. Fujimoto, H. Handa and H. Kawaguchi (Yokohama, Japan) 161 DNA-carrying latex particles for DNA diagnosis 2. Distinction of normal and point mutant DNA's using S1 nuclease M. Hatakeyama, K. Nakamura, S. Iwato, H. Handa, K. Fujimoto and H. Kawaguchi (Yokohama, Japan) 171 Vol. 10 No. 4 Adhesion of yeasts and bacteria to fluoro-alkylsiloxane layers chemisorbed on silicone rubber E.P.J.M. Everaert, H.C. van der Mei and H.J. Busscher (Groningen, The Netherlands) 179 Impact of structural changes and aggregation on adsorption kinetics of ovalbumin at the water/air interface N. Hagolle, B. Launay and P. Relkin (Massy, France) In-situ measurement of DNA immobilization and hybridization using a 27 MHz quartz crystal microbalance F. Caruso, D.N. Furlong (Victoria, Australia), K. Niikura and Y. Okahata (Yokohama, Japan) 199 The stability of heparin-coated liposomes in plasma and their effect on its coagulation A. Sahli (Paris, France), M. Cansell (Paris, France) Dissolution improvement of water-insoluble glybuzole by co-grinding and co-melting with surfactants and their physicochemical properties M. Otsuka, T. Ofusa and Y. Matsuda (Kobe, Japan) 217 Adsorption of β-lactoglobulin and β-casein to metal surfaces and their removal by a non-ionic surfactant, as monitored via a quartz crystal microbalance B.S. Murray and L. Cros (Leeds, UK) 227 Vol. 10 No. 5 Changes in sebum levels and skin surface free energy components following skin surface washing A. Mavon, D. Redoules (Castanet Tolosan, France), P. Humbert, P. Agache (Besançon, France) and Y. Gall (Castanet Tolosan, France) Platelet interaction with surface-immobilized IgG induces the secretion of surface bound microparticles and fragmentation of the cells M. Broberg and H. Nygren (Göteborg, Sweden) Platelet anteraction with surface-immobilized proteins on gold and silica surfaces M. Orschel, A. Katerkamp, M. Meusel and K. Cammann (Münster, Germany) 273 The solubilization of limonene in aqueou		. 149
DNA-carrying latex particles for DNA diagnosis 2. Distinction of normal and point mutant DNA's using S1 nuclease M. Hatakeyama, K. Nakamura, S. Iwato, H. Handa, K. Fujimoto and H. Kawaguchi (Yokohama, Japan)	the difference in hybridization efficiency	
nuclease M. Hatakeyama, K. Nakamura, S. Iwato, H. Handa, K. Fujimoto and H. Kawaguchi (Yokohama, Japan)		. 161
M. Hatakeyama, K. Nakamura, S. Iwato, H. Handa, K. Fujimoto and H. Kawaguchi (Yokohama, Japan)		
Vol. 10 No. 4 Adhesion of yeasts and bacteria to fluoro-alkylsiloxane layers chemisorbed on silicone rubber E.P.J.M. Everaert, H.C. van der Mei and H.J. Busscher (Groningen, The Netherlands)		171
Adhesion of yeasts and bacteria to fluoro-alkylsiloxane layers chemisorbed on silicone rubber E.P.J.M. Everaert, H.C. van der Mei and H.J. Busscher (Groningen, The Netherlands)	W. Hatakeyama, K. Nakamura, S. Iwato, H. Handa, K. Fujimoto and H. Kawaguciii (Tokonama, Japan)	. 1/1
Adhesion of yeasts and bacteria to fluoro-alkylsiloxane layers chemisorbed on silicone rubber E.P.J.M. Everaert, H.C. van der Mei and H.J. Busscher (Groningen, The Netherlands)	V.1.40 V. 4	
E.P.J.M. Everaert, H.C. van der Mei and H.J. Busscher (Groningen, The Netherlands)	Vol. 10 No. 4	
Impact of structural changes and aggregation on adsorption kinetics of ovalbumin at the water/air interface N. Hagolle, B. Launay and P. Relkin (Massy, France) 191 In-situ measurement of DNA immobilization and hybridization using a 27 MHz quartz crystal microbalance F. Caruso, D.N. Furlong (Victoria, Australia), K. Niikura and Y. Okahata (Yokohama, Japan) 199 The stability of heparin-coated liposomes in plasma and their effect on its coagulation A. Sahli (Paris, France), M. Cansell (Paris, France) Bordeaux, France), J. Tapon-Bretaudière, D. Letourneur, J. Jozefonvicz and A.M. Fischer (Paris, France) 205 Dissolution improvement of water-insoluble glybuzole by co-grinding and co-melting with surfactants and their physicochemical properties M. Otsuka, T. Ofusa and Y. Matsuda (Kobe, Japan) 217 Adsorption of β-lactoglobulin and β-casein to metal surfaces and their removal by a non-ionic surfactant, as monitored via a quartz crystal microbalance B.S. Murray and L. Cros (Leeds, UK) 227 Vol. 10 No. 5 Changes in sebum levels and skin surface free energy components following skin surface washing A. Mavon, D. Redoules (Castanet Tolosan, France), P. Humbert, P. Agache (Besançon, France) and Y. Gall (Castanet Tolosan, France) 243 Platelet interaction with surface-immobilized IgG induces the secretion of surface bound microparticles and fragmentation of the cells M. Broberg and H. Nygren (Göteborg, Sweden) 251 Platelet adhesion and activation on an amphoteric chitosan derivative bearing sulfonate groups M.M. Amiji (Boston, MA, USA) 263 Evaluation of several methods to quantify immobilized proteins on gold and silica surfaces M. Orschel, A. Katerkamp, M. Meusel and K. Cammann (Münster, Germany) 273 The solubilization of limonene in aqueous micellar solution of N,N-dimethyldodecylamine oxide and dispersity of stratum corneum in the solution K. Takahashi (Tokyo, Japan), S. Hayashi, E. Yamada, M. Takahashi, Y. Nakayama (Ibaragi, Japan) and		
N. Hagolle, B. Launay and P. Relkin (Massy, France) In-situ measurement of DNA immobilization and hybridization using a 27 MHz quartz crystal microbalance F. Caruso, D.N. Furlong (Victoria, Australia), K. Niikura and Y. Okahata (Yokohama, Japan) 199 The stability of heparin-coated liposomes in plasma and their effect on its coagulation A. Sahli (Paris, France), M. Cansell (Paris, France/Bordeaux, France), J. Tapon-Bretaudière, D. Letourneur, J. Jozefonvicz and A.M. Fischer (Paris, France) Dissolution improvement of water-insoluble glybuzole by co-grinding and co-melting with surfactants and their physicochemical properties M. Otsuka, T. Ofusa and Y. Matsuda (Kobe, Japan) Adsorption of β-lactoglobulin and β-casein to metal surfaces and their removal by a non-ionic surfactant, as monitored via a quartz crystal microbalance B.S. Murray and L. Cros (Leeds, UK) 227 Vol. 10 No. 5 Changes in sebum levels and skin surface free energy components following skin surface washing A. Mavon, D. Redoules (Castanet Tolosan, France), P. Humbert, P. Agache (Besançon, France) and Y. Gall (Castanet Tolosan, France) (Castanet Tolosan, France) 243 Platelet interaction with surface-immobilized IgG induces the secretion of surface bound microparticles and fragmentation of the cells M. Broberg and H. Nygren (Göteborg, Sweden) 251 Platelet adhesion and activation on an amphoteric chitosan derivative bearing sulfonate groups M.M. Amiji (Boston, MA, USA) Evaluation of several methods to quantify immobilized proteins on gold and silica surfaces M. Orschel, A. Katerkamp, M. Meusel and K. Cammann (Münster, Germany) 273 The solubilization of limonene in aqueous micellar solution of N,N-dimethyldodecylamine oxide and dispersity of stratum corneum in the solution K. Takahashi (Tokyo, Japan), S. Hayashi, E. Yamada, M. Takahashi, Y. Nakayama (Ibaragi, Japan) and		. 179
In-situ measurement of DNA immobilization and hybridization using a 27 MHz quartz crystal microbalance F. Caruso, D.N. Furlong (Victoria, Australia), K. Niikura and Y. Okahata (Yokohama, Japan) 199 The stability of heparin-coated liposomes in plasma and their effect on its coagulation A. Sahli (Paris, France), M. Cansell (Paris, France/Bordeaux, France), J. Tapon-Bretaudière, D. Letourneur, J. Jozefonvicz and A.M. Fischer (Paris, France) 205 Dissolution improvement of water-insoluble glybuzole by co-grinding and co-melting with surfactants and their physicochemical properties M. Otsuka, T. Ofusa and Y. Matsuda (Kobe, Japan) 217 Adsorption of β-lactoglobulin and β-casein to metal surfaces and their removal by a non-ionic surfactant, as monitored via a quartz crystal microbalance B.S. Murray and L. Cros (Leeds, UK) 227 Vol. 10 No. 5 Changes in sebum levels and skin surface free energy components following skin surface washing A. Mavon, D. Redoules (Castanet Tolosan, France), P. Humbert, P. Agache (Besançon, France) and Y. Gall (Castanet Tolosan, France) 243 Platelet interaction with surface-immobilized IgG induces the secretion of surface bound microparticles and fragmentation of the cells M. Broberg and H. Nygren (Göteborg, Sweden) 251 Platelet adhesion and activation on an amphoteric chitosan derivative bearing sulfonate groups M.M. Amiji (Boston, MA, USA) 263 Evaluation of several methods to quantify immobilized proteins on gold and silica surfaces M. Orschel, A. Katerkamp, M. Meusel and K. Cammann (Münster, Germany) 273 The solubilization of limonene in aqueous micellar solution of N,N-dimethyldodecylamine oxide and dispersity of stratum corneum in the solution K. Takahashi (Tokyo, Japan), S. Hayashi, E. Yamada, M. Takahashi, Y. Nakayama (Ibaragi, Japan) and		
F. Caruso, D.N. Furlong (Victoria, Australia), K. Niikura and Y. Okahata (Yokohama, Japan) 199 The stability of heparin-coated liposomes in plasma and their effect on its coagulation A. Sahli (Paris, France), M. Cansell (Paris, France)-Bordeaux, France), J. Tapon-Bretaudière, D. Letourneur, J. Jozefonvicz and A.M. Fischer (Paris, France) 205 Dissolution improvement of water-insoluble glybuzole by co-grinding and co-melting with surfactants and their physicochemical properties M. Otsuka, T. Ofusa and Y. Matsuda (Kobe, Japan) 217 Adsorption of β-lactoglobulin and β-casein to metal surfaces and their removal by a non-ionic surfactant, as monitored via a quartz crystal microbalance B.S. Murray and L. Cros (Leeds, UK) 227 Vol. 10 No. 5 Changes in sebum levels and skin surface free energy components following skin surface washing A. Mavon, D. Redoules (Castanet Tolosan, France), P. Humbert, P. Agache (Besançon, France) and Y. Gall (Castanet Tolosan, France) 243 Platelet interaction with surface-immobilized IgG induces the secretion of surface bound microparticles and fragmentation of the cells M. Broberg and H. Nygren (Göteborg, Sweden) 251 Platelet adhesion and activation on an amphoteric chitosan derivative bearing sulfonate groups M.M. Amiji (Boston, MA, USA) 263 Evaluation of several methods to quantify immobilized proteins on gold and silica surfaces M. Orschel, A. Katerkamp, M. Meusel and K. Cammann (Münster, Germany) 273 The solubilization of limonene in aqueous micellar solution of N,N-dimethyldodecylamine oxide and dispersity of stratum corneum in the solution K. Takahashi (Tokyo, Japan), S. Hayashi, E. Yamada, M. Takahashi, Y. Nakayama (Ibaragi, Japan) and		. 191
The stability of heparin-coated liposomes in plasma and their effect on its coagulation A. Sahli (Paris, France), M. Cansell (Paris, France/Bordeaux, France), J. Tapon-Bretaudière, D. Letourneur, J. Jozefonvicz and A.M. Fischer (Paris, France) Dissolution improvement of water-insoluble glybuzole by co-grinding and co-melting with surfactants and their physicochemical properties M. Otsuka, T. Ofusa and Y. Matsuda (Kobe, Japan) Adsorption of β-lactoglobulin and β-casein to metal surfaces and their removal by a non-ionic surfactant, as monitored via a quartz crystal microbalance B.S. Murray and L. Cros (Leeds, UK) 227 Vol. 10 No. 5 Changes in sebum levels and skin surface free energy components following skin surface washing A. Mavon, D. Redoules (Castanet Tolosan, France), P. Humbert, P. Agache (Besançon, France) and Y. Gall (Castanet Tolosan, France) (Castanet Tolosan, France) Platelet interaction with surface-immobilized IgG induces the secretion of surface bound microparticles and fragmentation of the cells M. Broberg and H. Nygren (Göteborg, Sweden) 251 Platelet adhesion and activation on an amphoteric chitosan derivative bearing sulfonate groups M.M. Amiji (Boston, MA, USA) 263 Evaluation of several methods to quantify immobilized proteins on gold and silica surfaces M. Orschel, A. Katerkamp, M. Meusel and K. Cammann (Münster, Germany) 273 The solubilization of limonene in aqueous micellar solution of N,N-dimethyldodecylamine oxide and dispersity of stratum corneum in the solution K. Takahashi (Tokyo, Japan), S. Hayashi, E. Yamada, M. Takahashi, Y. Nakayama (Ibaragi, Japan) and		100
A. Sahli (Paris, France), M. Cansell (Paris, France/Bordeaux, France), J. Tapon-Bretaudière, D. Letourneur, J. Jozefonvicz and A.M. Fischer (Paris, France)		. 199
J. Jozefonvicz and A.M. Fischer (Paris, France) 205 Dissolution improvement of water-insoluble glybuzole by co-grinding and co-melting with surfactants and their physicochemical properties M. Otsuka, T. Ofusa and Y. Matsuda (Kobe, Japan) 217 Adsorption of β-lactoglobulin and β-casein to metal surfaces and their removal by a non-ionic surfactant, as monitored via a quartz crystal microbalance B.S. Murray and L. Cros (Leeds, UK) 227 Vol. 10 No. 5 Changes in sebum levels and skin surface free energy components following skin surface washing A. Mavon, D. Redoules (Castanet Tolosan, France), P. Humbert, P. Agache (Besançon, France) and Y. Gall (Castanet Tolosan, France) 243 Platelet interaction with surface-immobilized IgG induces the secretion of surface bound microparticles and fragmentation of the cells M. Broberg and H. Nygren (Göteborg, Sweden) 251 Platelet adhesion and activation on an amphoteric chitosan derivative bearing sulfonate groups M.M. Amiji (Boston, MA, USA) 263 Evaluation of several methods to quantify immobilized proteins on gold and silica surfaces M. Orschel, A. Katerkamp, M. Meusel and K. Cammann (Münster, Germany) 273 The solubilization of limonene in aqueous micellar solution of N,N-dimethyldodecylamine oxide and dispersity of stratum corneum in the solution K. Takahashi (Tokyo, Japan), S. Hayashi, E. Yamada, M. Takahashi, Y. Nakayama (Ibaragi, Japan) and		
Dissolution improvement of water-insoluble glybuzole by co-grinding and co-melting with surfactants and their physicochemical properties M. Otsuka, T. Ofusa and Y. Matsuda (Kobe, Japan) Adsorption of β-lactoglobulin and β-casein to metal surfaces and their removal by a non-ionic surfactant, as monitored via a quartz crystal microbalance B.S. Murray and L. Cros (Leeds, UK) 227 Vol. 10 No. 5 Changes in sebum levels and skin surface free energy components following skin surface washing A. Mavon, D. Redoules (Castanet Tolosan, France), P. Humbert, P. Agache (Besançon, France) and Y. Gall (Castanet Tolosan, France) Platelet interaction with surface-immobilized IgG induces the secretion of surface bound microparticles and fragmentation of the cells M. Broberg and H. Nygren (Göteborg, Sweden) Platelet adhesion and activation on an amphoteric chitosan derivative bearing sulfonate groups M.M. Amiji (Boston, MA, USA) Evaluation of several methods to quantify immobilized proteins on gold and silica surfaces M. Orschel, A. Katerkamp, M. Meusel and K. Cammann (Münster, Germany) 273 The solubilization of limonene in aqueous micellar solution of N,N-dimethyldodecylamine oxide and dispersity of stratum corneum in the solution K. Takahashi (Tokyo, Japan), S. Hayashi, E. Yamada, M. Takahashi, Y. Nakayama (Ibaragi, Japan) and		205
physicochemical properties M. Otsuka, T. Ofusa and Y. Matsuda (Kobe, Japan) Adsorption of β-lactoglobulin and β-casein to metal surfaces and their removal by a non-ionic surfactant, as monitored via a quartz crystal microbalance B.S. Murray and L. Cros (Leeds, UK) 227 Vol. 10 No. 5 Changes in sebum levels and skin surface free energy components following skin surface washing A. Mavon, D. Redoules (Castanet Tolosan, France), P. Humbert, P. Agache (Besançon, France) and Y. Gall (Castanet Tolosan, France) [243 Platelet interaction with surface-immobilized IgG induces the secretion of surface bound microparticles and fragmentation of the cells M. Broberg and H. Nygren (Göteborg, Sweden) [251 Platelet adhesion and activation on an amphoteric chitosan derivative bearing sulfonate groups M.M. Amiji (Boston, MA, USA) [263 Evaluation of several methods to quantify immobilized proteins on gold and silica surfaces M. Orschel, A. Katerkamp, M. Meusel and K. Cammann (Münster, Germany) [273 The solubilization of limonene in aqueous micellar solution of N,N-dimethyldodecylamine oxide and dispersity of stratum corneum in the solution K. Takahashi (Tokyo, Japan), S. Hayashi, E. Yamada, M. Takahashi, Y. Nakayama (Ibaragi, Japan) and		200
M. Otsuka, T. Ofusa and Y. Matsuda (Kobe, Japan)		
Adsorption of β-lactoglobulin and β-casein to metal surfaces and their removal by a non-ionic surfactant, as monitored via a quartz crystal microbalance B.S. Murray and L. Cros (Leeds, UK)		. 217
B.S. Murray and L. Cros (Leeds, UK)		
Vol. 10 No. 5 Changes in sebum levels and skin surface free energy components following skin surface washing A. Mavon, D. Redoules (Castanet Tolosan, France), P. Humbert, P. Agache (Besançon, France) and Y. Gall (Castanet Tolosan, France)		
Changes in sebum levels and skin surface free energy components following skin surface washing A. Mavon, D. Redoules (Castanet Tolosan, France), P. Humbert, P. Agache (Besançon, France) and Y. Gall (Castanet Tolosan, France)	B.S. Murray and L. Cros (Leeds, UK)	. 227
Changes in sebum levels and skin surface free energy components following skin surface washing A. Mavon, D. Redoules (Castanet Tolosan, France), P. Humbert, P. Agache (Besançon, France) and Y. Gall (Castanet Tolosan, France)		
A. Mavon, D. Redoules (Castanet Tolosan, France), P. Humbert, P. Agache (Besançon, France) and Y. Gall (Castanet Tolosan, France)	Vol. 10 No. 5	
A. Mavon, D. Redoules (Castanet Tolosan, France), P. Humbert, P. Agache (Besançon, France) and Y. Gall (Castanet Tolosan, France)	Changes in sehum levels and skin surface free energy components following skin surface washing	
(Castanet Tolosan, France)		
Platelet interaction with surface-immobilized IgG induces the secretion of surface bound microparticles and fragmentation of the cells M. Broberg and H. Nygren (Göteborg, Sweden)		243
fragmentation of the cells M. Broberg and H. Nygren (Göteborg, Sweden)		
M. Broberg and H. Nygren (Göteborg, Sweden)		
Platelet adhesion and activation on an amphoteric chitosan derivative bearing sulfonate groups M.M. Amiji (Boston, MA, USA)		251
 M.M. Amiji (Boston, MA, USA) Evaluation of several methods to quantify immobilized proteins on gold and silica surfaces M. Orschel, A. Katerkamp, M. Meusel and K. Cammann (Münster, Germany) The solubilization of limonene in aqueous micellar solution of N,N-dimethyldodecylamine oxide and dispersity of stratum corneum in the solution K. Takahashi (Tokyo, Japan), S. Hayashi, E. Yamada, M. Takahashi, Y. Nakayama (Ibaragi, Japan) and 	Platelet adhesion and activation on an amphoteric chitosan derivative bearing sulfonate groups	
 M. Orschel, A. Katerkamp, M. Meusel and K. Cammann (Münster, Germany)	M.M. Amiji (Boston, MA, USA)	263
The solubilization of limonene in aqueous micellar solution of N,N-dimethyldodecylamine oxide and dispersity of stratum corneum in the solution K. Takahashi (Tokyo, Japan), S. Hayashi, E. Yamada, M. Takahashi, Y. Nakayama (Ibaragi, Japan) and		
stratum corneum in the solution K. Takahashi (Tokyo, Japan), S. Hayashi, E. Yamada, M. Takahashi, Y. Nakayama (Ibaragi, Japan) and		273
K. Takahashi (Tokyo, Japan), S. Hayashi, E. Yamada, M. Takahashi, Y. Nakayama (Ibaragi, Japan) and		
M. Ueno (Tokyo/Chiba, Japan)		201
	M. Ueno (Tokyo/Chiba, Japan)	281

Amphiphilic cyclodextrin nanospheres: particle solubilization and reconstitution by the action of a non-ionic detergent	
E. Lemos-Senna, D. Wouessidjewe, D. Duchêne and S. Lesieur (Chatênay Malabry, France)	291
Corrigendum	303
Vol. 10 No. 6	
Separation of serum proteins with uncoupled microsphere particles in a stirred cell	
JY. Yoon, J.H. Lee, JH. Kim and WS. Kim (Seoul, South Korea)	365
Lipase-catalysed stereoselective esterifications using gelatin-based hydrogels	
G. Hedström, S. Backlund, F. Eriksson and S. Karlsson (Turku, Finland)	379
Competitive adsorption between egg yolk lipoproteins and whey proteins on oil-in-water interfaces	
R.E. Aluko, M. Keeratiurai and Y. Mine (Guelph, Canada)	385
Lectin recognition of liposomes containing neoglycolipids. Influence of their lipidic anchor and spacer length	
M. Gelhausen, F. Besson, S. Chierici, D. Lafont, P. Boullanger and B. Roux (Lyon, France)	395
The adsorption of endothelin 1 to phospholipids is governed by electrostatic interactions. A monolayer and fluorescence study	
L. Chaloin, N. Van Mau, F. Heitz, L. Chiche (Montpellier, France) and JC. Talbot (Pessac, France)	405
Author Index	413
Subject Index	415

